



കേരള സർക്കാർ
Government of Kerala
2014



Regn. No. KERBIL/2012/45073
dated 5-9-2012 with RNI
Reg. No. KL/TV(N)/634/2012-14

tl cf Kk ddv KERALA GAZETTE

ആധികാരികമായി പ്രസിദ്ധപ്പെടുത്തുന്നത്
PUBLISHED BY AUTHORITY

വാല്യം 3 Vol. III	തിരുവനന്തപുരം, ചൊവ്വ Thiruvananthapuram, Tuesday	2014 മാർച്ച് 4 4th March 2014 1189 കുംഭം 20 20th Kumbham 1189 1935 ഫാൽഗുനം 13 13th Phalguna 1935	നമ്പർ } No. } 9
----------------------	---	---	--------------------

PART III

Stores Purchase

Technical Education Department

ലഘു ദർഘാസ് ദീർഘിപ്പിക്കൽ പരസ്യം

(1)

നമ്പർ പി./1665/2013.

2014 ഫെബ്രുവരി 4.

ആറ്റിങ്ങൽ സർക്കാർ പോളിടെക്നിക്ക് കോളേജിലെ ഇലക്ട്രിക്കൽ മെഷീൻ ലാബിലേക്ക്/ഇൻഡസ്ട്രിയൽ ഇലക്ട്രിക്കൽ ലാബിലേക്ക് ആവശ്യമായ താഴെപ്പറയുന്ന ഉപകരണങ്ങൾ വിതരണം ചെയ്യാൻ താൽപര്യമുള്ള സ്ഥാപനങ്ങളിൽ നിന്നും മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചു കൊള്ളുന്നു.

ദർഘാസ് നമ്പർ—01/2013-14/പി.

അടങ്കൽ തുക—` 3,61,670.

നിരതദ്രവ്യം—` 3,617.

ദർഘാസ് ഫോറത്തിന്റെ വില:

ഒറിജിനൽ—` 840.

ഡ്യൂപ്ലിക്കേറ്റ്—` 420.

തപാൽ വഴി—` 890.

ദർഘാസ് ഫോറത്തിന്റെ വിൽപ്പനയുടെ അവസാന തീയതിയും സമയവും—12-3-2014, 3 മണിവരെ.

ദർഘാസ് ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—13-3-2014, 3 മണിവരെ.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—14-3-2014, 11 മണി.

ദർഘാസ് വില പണമായിട്ടോ മണി ഓർഡർ ആയിട്ടോ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. ദർഘാസ് നമ്പർ, തീയതി

എന്നിവ രേഖപ്പെടുത്തി മുദ്രവച്ച കവറുകൾ പ്രിൻസിപ്പാൾ, ഗവൺമെന്റ് പോളിടെക്നിക് കോളേജ്, ആറ്റിങ്ങൽ-695 101 എന്ന മേൽവിലാസത്തിൽ അയയ്ക്കേണ്ടതാണ്. താമസിച്ച് ലഭിക്കുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല. ഒറിജിനൽ ദർഘാസ് പ്രമാണത്തോടൊപ്പം ആകെ വിലയുടെ 1% നിരതദ്രവ്യവും ` 100 വിലയുള്ള കേരള മുദ്രപത്രത്തിൽ പ്രാഥമിക കരാർ പത്രവും ഉണ്ടായിരിക്കേണ്ടതാണ്.

ദർഘാസ് തുറക്കുന്ന തീയതി മുതൽ ആറു മാസം വരെ വില നിരക്കിന് പ്രാബല്യം ഉണ്ടായിരിക്കേണ്ടതാണ്. ദർഘാസ് പ്രമാണം കൈമാറ്റം ചെയ്യാൻ പാടില്ലാത്തതാണ്.

No. P/1665/2013.

4th February 2014.

Sealed tenders are invited for the supply of following equipments for the use of Electrical Machnies Lab/ Industrial Electrical Lab of Government Polytechnic College, Attingal.

Tender No. 1/2013-14/P.

Estimated Cost—` 3,61,670.

EMD—` 3,617.

Cost of tender form:

Original—` 840.

Duplicate—` 420.

By post (original)—` 890.

Last date and time of sale of tender form—12-3-2014, 3 p. m.

Last date and time of receipt of tender form—13-3-2014, 3 p. m.

Date and time of opening of tender—14-3-2014, 11 a. m.

Intending tenders may on application to the undersigned to obtain the requisite tender form on which tenders should be submitted. Application for the tender form should be accompanied by a remittance of above prices fixed for the same and which is non-refundable under any circumstances. The tender forms are not transferable. Cost of tender form is acceptable only by money order or cash remittance to this office. As per condition the tenderer should send along with his tender an agreement executed and signed in Kerala Stamp Paper value of ` 100 and Earnest Money Deposit 1% of the total cost of articles tendered. Tenders without agreement, tender form and Earnest Money Deposit will be rejected.

Details of Materials

Sl. No. Items with Specification Quantity Nos.

(1)	(2)	(3)
1	P.V.C Insulated Aluminium wire 1/1 mm ²	2
2	P.V.C Insulated Aluminium wire 3/1 mm ²	2
3	P.V.C Insulated Aluminium wire 7/1 mm ²	2
4	P.V.C Insulated (double coloured insulation) copper wire 1 mm ² (stranded)	5
5	P.V.C Insulated (double coloured insulation) copper wire 1.5 sq. mm (stranded)	5
6	P.V.C Insulated (double coloured insulation) copper wire 2.5 sq. mm (stranded)	5
7	P.V.C Insulated (double coloured insulation) copper wire 4 sq. mm (stranded)	5
8	P.V.C Pipe (open conduit) 20 mm, 3m long	50
9	P.V.C Junction box 3 way (open conduit) 20 mm	50
10	P.V.C Junction box 2 way (open conduit) 20 mm	50
11	P.V.C Junction box 4 way (open conduit) 20 mm	50
12	P.V.C round block (75x25mm) heavy	100
13	P.V.C Elbow (open conduit) 20 mm	50
14	P.V.C Bend (open conduit) 20 mm	50
15	Metal saddles 20 mm	200
16	Iron screw 35 x 6 (500 gram)	1
17	Iron screw 29 x 5 (500 gram)	2
18	Iron screw 20 x 5 (500 gram)	2
19	Iron screw 12 x 4 (500 gram)	2
20	Iron screw 12 x 6 (500 gram)	1
21	Insulation tape 10 m	20
22	Bulb 60W/250V	25
23	Bulb 100W/250V	25
24	Bulb 15W/250V	20
25	Tube 4 feet, 40W/250V	40
26	Hook up wire (single strand)	2
27	Carbon brush for mixy	20
28	Solder 50 gm	10
29	Soldering flux 100 gm	10
30	Grease (high quality) 500 gm	2
31	Cotton waste	2
32	P. V. C. insulated single core cable (OH), 10 sq. mm (600-1100 V) grade	25
33	XLPE single core cable 25sq. mm (600-1100 V) grade	25
34	AYFY three core cable 25sq. mm, (600-1100 V) grade	25
35	AYFY double core cable 16sq. mm,	25

(600-1100 V) grade			15A/250V		
36	AYFY three & half core cable 25sq. mm, (600-1100 V) grade	25	70	Double pole single through knife switch 30A/250V	15
37	Single core 10 sq. mm straight joint complete set including insulation compound	5	71	M.C.B, 1P, class B, 10A/250V	10
38	Two core cable joint complete set, 16sq. mm including insulation compound	5	72	M.C.B, 1P, class C, 10A/250V	10
39	3 core cable joint complete set, 25sq. mm including insulation compound	5	73	M.C.B, 1P, class B, 25A/250V	10
40	3.5 core cable joint complete set, 25sq. mm including insulation compound	5	74	M.C.B, 1P, class C, 25A/250V	10
41	Plate earthing set complete, including 10SWG copper earth wire, 5m	3	75	Distribution board (8 way) open type	5
42	Pipe earth set complete including 10SWG copper earth wire, 5m	3	76	E C C B (30mA operating current) 25A/250V	2
43	10 sq. mm Aluminium leg	50	77	E L C B (30mA operating current) 25A/250V	3
44	16 sq. mm Aluminium leg	50	78	R C C B (30mA operating current) 25A/450V	1
45	25 sq. mm Aluminium leg	50	79	E L C B (30mA operating current) 25A/450V	2
46	Hack saw blade	20	80	E L C B (100mA operating current) 25A/450V	2
47	Multy pin socket 5A/250V	25	81	Neutral link 15A/250V	20
48	Multy pin socket 15A/250V	25	82	Banana connector 15A/250V	150
49	S.P.S.T switch 15A/250V	25	83	Isolater 2P with PVC encloser 30A/250V	10
50	Fan regulator (Resistance type)	10	84	Isolater 3P with PVC encloser 30A/450V	7
51	Power plug with switch including fuse unit & indicator 15A/250V	5	85	Isolater 4P with PVC encloser 30A/450V	7
52	3Pin plug 15A/250V	25	86	Combination pliers with high quality insulated handle 8"	10
53	3Pin plug 5A/250V	25	87	Long nose pliers with high quality insulated handle 8"	10
54	Tube side holder 5A/250V	20	88	Side cutting pliers with high quality insulated handle 8"	10
55	Choke (copper) 40W/250V	10	89	Poker with handle 8"	25
56	Starter 40W/250V	40	90	Firmer chisel 1"	10
57	Copper leg.(U-shape) 6 sq. mm	100	91	Firmer chisel with handle ½"	10
58	Capacitor 2.5µF/400V	10	92	Hack saw frame (adjustable)	10
59	P.V.C ceiling rose 5A/250V	20	93	Insulated screw driver 200 × 3.5, tip dia (-) 3.5 × 0.5	20
60	Pendent lamp holder 5A/250V	25	94	Insulated screw driver 200 × 5, tip dia (-) 5 × 0.8	10
61	Straight batten lamp holders 5A/250V	50	95	Insulated screw driver 250 × 6, tip dia (-) 6 × 8	10
62	S.P.T Switch 5A/250V	50	96	Insulated screw driver 300x8, tip dia (-) 8 × 1.2	5
63	S.P.D.T Switch 5A/250V	50	97	Philips screw driver 200×1; 200×2; 200×3	10
64	I.C.D.P switch 16A/250V	6	98	Ball peen hammer with handle - 200gm	10
65	I.C.T.P switch 32A/250V	6	99	Claw hammer with handle - 500 gm	10
66	Intermediate switch 5A/250V	6	100	Three in one tester; yellow handle 120×10	5
67	Fuse unit (Kit Kat) 15A/250V	30	101	Digital line tester with neon bulb, 130×10	10
68	Triple pole single through knife switch 15A/250V	7	102	Ring spanner set-6×7, 8×9, 10×11, 12×13, 14×15, 16×17, 18×19, 20×22, 24×2, 30×32 set(10nos.)	2
69	Triple pole double through knife switch	2			

103	Gear puller (Bearing puller) 8", 3 leg	1	ഇൻഡസ്ട്രിയൽ ഇലക്ട്രിക്കൽ ലാബിലേക്ക് ആവശ്യമായ
104	Gear puller (Bearing puller) 12", 3 leg	1	താഴെപറയുന്ന ഉപകരണങ്ങൾ വിതരണം ചെയ്യാൻ താൽപ്പര്യ
105	Allen key set, long ball point set; 10 pcs. hanger packing set 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"	1	മുള്ള സ്ഥാപനങ്ങളിൽ നിന്നും മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.
106	Adjustable spanner with soft grip 255 mm long	2	ദർഘാസ് നമ്പർ 2/2013-14/പി
107	Wire stripper 150 mm	10	അടങ്കൽ തുക—` 1,59,000.
108	Bench vice 80 mm	4	നിരതദ്രവ്യം—` 1,590.
109	Hand drilling machine with hammering action, 18mm check	1	ദർഘാസ് ഫോറത്തിന്റെ വില:
110	Bit screw driver set 8x125 mm Torx T5, T6, T10, Flat 3mm, 4mm, 5mm, Philips no. 012	1	ഒറിജിനൽ—` 420.
111	Heavy duty crimping tool 6, 10, 25, 35, 50, 70 sq. mm	1	ഡ്യൂപ്ലിക്കേറ്റ്—` 210.
112	Soldering Gun	2	തപാൽ വഴി—` 470.
113	Soldering Iron—Power consumption 10W/15W, Operating Voltage—230V±10%, 50HZ, Tip to ground resistance under 2Ω, Tip to ground potential under 2mV, tip type: spread type, Specific features advanced by quick heating element, Quick in attaining working Temperature, constant tip temperature, low leakage current, thinner grip for comfortable and convenient replaceable tip and element replacement system, Manufacturing booklet, warranty: One year	15	ദർഘാസ് ഫോറത്തിന്റെ വിൽപ്പനയുടെ അവസാന തീയതിയും സമയവും—12-3-2014, 3 മണി.
114	Battery charger—output Voltage range (12v, 24v, 36v, 48v, 60v), current 20A	1	ദർഘാസ് ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—13-3-2014, 3 മണി.
115	Rheostat 1000Ω/1.7 A	3	ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—14-3-2014, 11 മണി.
116	Rheostat 500Ω/2A	3	ദർഘാസ് വില പണമായിട്ടോ മണി ഓർഡർ ആയിട്ടോ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. ദർഘാസ് നമ്പർ, തീയതി എന്നിവ രേഖപ്പെടുത്തി മുദ്രവച്ച കവറുകൾ പ്രിൻസിപ്പാൾ, ഗവൺമെന്റ് പോളിടെക്നിക് കോളേജ്, ആറ്റിംഗൽ-695 101 എന്ന മേൽവിലാസത്തിൽ അയയ്ക്കേണ്ടതാണ്. താമസിച്ച് ലഭിക്കുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല. ഒറിജിനൽ ദർഘാസ് പ്രമാണത്തോടൊപ്പം ആകെ വിലയുടെ 1% നിരതദ്രവ്യവും ` 100-ന്റെ വിലയുള്ള കേരള മുദ്രപത്രത്തിൽ പ്രാഥമിക കരാർ പത്രവും ഉണ്ടായിരിക്കേണ്ടതാണ്.
117	Rheostat 100Ω/10A	5	ദർഘാസ് തുറക്കുന്ന തീയതി മുതൽ ആറു മാസം വരെ വില നിരക്കിന് പ്രാബല്യം ഉണ്ടായിരിക്കേണ്ടതാണ്. ദർഘാസ് പ്രമാണം കൈമാറ്റം ചെയ്യാൻ പാടില്ലാത്തതാണ്.
118	Rheostat 20Ω/15A	5	No. P/1666/2013. 4th February 2014.
119	Star-delta starter up to 25A/415V Fully automatic	2	Sealed tenders are invited for the supply of following equipments for the use of Industrial Electrical Lab of Government Polytechnic College, Attingal.

(2)

നമ്പർ പി./1666/2013.

2014 ഫെബ്രുവരി 4.

ആറ്റിംഗൽ സർക്കാർ പോളിടെക്നിക് കോളേജിലെ

Cost of tender form:

Original—` 420.

Duplicate—` 210.

By post (original)—` 470.

Last date and time of sale of tender form—12-3-2014,

3 p.m.

Last date and time of receipt of tender form—
13-3-2014, 3 p.m.

Date and time of opening of tender—14-3-2014,
11 a.m.

Intending tenderers may on application to the undersigned to obtain the requisite tender form on which tenders should be submitted. Application for the tender form should be accompanied by a remittance of above prices fixed for the same and which is non-refundable under any circumstances. The tender forms are not transferable. Cost of tender form is acceptable only by money order or cash remittance to this office. As per condition the tenderer should send along with his tender an agreement executed and signed in Kerala Stamp Paper value of ` 100 and Earnest Money Deposit 1% of the total cost of articles tendered. Tenders without agreement, tender form and Earnest Money Deposit will be rejected.

List of Items

Sl. No.	Items with Specification	Quantity (Nos.)
(1)	(2)	(3)
1	Winding machine—Fully Automatic , Input voltage-230Vac \pm 10%, Range of wire 18SWG-40SWG, Maximum point diameter-250mm, layer width range 8-200mm, distance between centres - 260mm, winding speed approximate 400800RPM, over all dimension approximate -800/500/1400mm, maximum weight of bobin on spintle-14kg, maximum size and weight of reel on carrier-150mm dia, 150mm length, 5 kg weight, cluth motor approximate-0.75hp, including manufacture booklet one year warranty	1
2	Soldering Station—Auto PID control circuit, ease of operation, separate with increase and decrease of temperature after two seconds the actual read of temperature will display, intelligent power management auto stand by on mains interruption to save power, temperature controll accuracy \pm 10c, Input voltage 190-270Vac, Maximum power-100W, temperature range 180-480 $^{\circ}$ c, Output voltage-30Vac, time to temperature rise from ambient-350 $^{\circ}$ c-25 second, heater type-ceramic, tip to ground resistance-<0.2 Ω , tip to ground potential-<0.2mV, auto	1

sleep function-yes, Application-Lead free soldering including external accessories too set, including manufacturer booklet, warranty one year

3	Table fan—230V, 60W, ISI certification and manufactures brochure, Warranty: 1 year	5
4	Ceiling Fan—60W, 230V, 3 leaves, 1200mm dia, ISI certification and manufactures brochure, Warranty 1 year	5
5	Pedestrial Fan—120W, 1500rpm, 230V, ISI certification and manufactures brochure, Warranty 1 year	2
6	Electrical iron box— Automatic: 250V, 1000 W, ISI certification and manufactures brochure, Warranty 1 year	5
7	Mixer—Single jar, 250V, 500W, ISI certification and manufactures brochure, Warranty: 1 year	3
8	Grinder—Table top, 1hp, 230V, 3.5A, ISI certification and manufactures brochure, Warranty:1 year	2
9	Washing machine—5 kg-semi automatic, ISI specification and manufactures brochure, warranty, 1 year	2
10	Refrigerator—180 l, single door, ISI certification and manufactures brochure warranty:1 year, ISO specification.	2
11	Transformer—o/p power -3kVA,voltage-115/230v, Full load current- 26/13A, Fully enclosed metallic covering with handle, lamination-high quality CRGO, terminals are fitted on the out side of encloser, table tope type, cooling-natural including ISI certification and manufactures brochure, warranty: 1 year	3

Govt. Polytechnic College,
Attingal.

(Sd.)
Principal.

ലഘു ദർശനം പരസ്യം

(1)

നമ്പർ ഡി3/4020/13.

2014 ജനുവരി 31.

കോട്ടയം രാജീവ് ഗാന്ധി ഇൻസ്റ്റിറ്റ്യൂട്ട് ഓഫ് ടെക്നോളജിയിലെ ഇലക്ട്രിക്കൽ ആന്റ് ഇലക്ട്രോണിക്സ് എഞ്ചിനീയറിംഗ് ഡിപ്പാർട്ട്മെന്റിന് സോളാർ ഫോട്ടോവോൾട്ടായിക്ക് പാരാമീറ്റർ ഇവാല്യൂവേഷൻ ആന്റ് ഗ്രിഡ് ഇന്റർകണക്ഷൻ ആവശ്യമായ സാധനങ്ങൾ (ലാപ്ടോപ്പ് കമ്പ്യൂട്ടർ, നെറ്റ്വർക്ക് കമ്പ്യൂട്ടർ മുതലായവ) നൽകുന്നതിന് താൽപ്പര്യമുള്ള കരാറുകാരിൽ നിന്നും മുദ്രവച്ച കവറുകളിൽ

മത്സര സ്വഭാവമുള്ള ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക—` 2,50,000.

നിരതദ്രവ്യം—അടങ്കൽ തുകയുടെ 1 %.

ദർഘാസ് ഫോറത്തിന്റെ വില :

അസ്സൽ—` 525.

പകർപ്പ്—` 263.

ദർഘാസ് ഫോറം വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—3-3-2014, 2 മണി.

പൂരിപ്പിച്ച ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—4-3-2014, 1 മണി.

ദർഘാസുകൾ തുറന്നു പരിശോധിക്കുന്ന തീയതിയും സമയവും—4-3-2014, 2 മണി.

വിശദ വിവരങ്ങൾ പ്രവൃത്തി സമയത്ത് ഓഫീസിൽ നിന്നും അറിയാവുന്നതാണ്.

No. D3/4020/2013/RIT.

31st January 2014.

Sealed tenders are invited for the supply of items (Laptop Computers and Net book computer) for Solar Photovoltaic Parameter evaluation and grid interconnection for Electrical and Electronics Engineering Department of this institution at a total cost of ` 2,50,000.

Cost of tender forms (including taxes):

Original—` 525.

Duplicate—` 263.

Last date and time of sale of tender form—3-3-2014, 2 p. m.

Last date and time of receipt of tender—4-3-2014, 1 p. m.

Date and time of opening of tender—4-3-2014, 2 p. m.

Those who want tender forms by registered post should send ` 35 extra for each tender besides the cost of tender forms by Money Order to the undersigned which should be received on or before 21-2-2014.

Tender forms can be had from the office of the Principal, Rajiv Gandhi Institute of Technology, Velloor P. O., Pampady, Kottayam-686 501 on a cash remittance as above or by Money Order on all working days between 10 a.m. to 3 p. m. The tender should be superscribed with Tender No. and Date. Cheques, Postage Stamps, Drafts, Postal Orders etc. will not be accepted towards the cost of the tender forms. The tender forms are not transferable.

As per the tender condition the tenderer should send along with this tender with an agreement executed duly signed in Kerala Stamp Paper of value of ` 100 and EMD 1% of total cost of the articles tendered by way of DD in favour of the Principal, Rajiv Gandhi Institute of

Technology, Kottayam. Tender without agreement and EMD will be rejected and detailed specification will be issued along with the tender forms.

(2)

നമ്പർ ഡി3/4020/13.

2014 ജനുവരി 31.

കോട്ടയം രാജീവ് ഗാന്ധി ഇൻസ്റ്റിറ്റ്യൂട്ട് ഓഫ് ടെക്നോളജിയിലെ ഇലക്ട്രിക്കൽ ആന്റ് ഇലക്ട്രോണിക്സ് എഞ്ചിനീയറിംഗ് ഡിപ്പാർട്ട്മെന്റിലേക്ക് സോളാർ ഫോട്ടോവോൾട്ടായിക് പാരാമീറ്റർ ഇവാല്യൂവേഷൻ ആന്റ് ഗ്രിഡ് ഇന്റർകണക്ഷൻ ആവശ്യമായ സാധനങ്ങൾ (സോളാർ പവർ മീറ്റർ, സോളാർ അനലൈസർ, സോളാർ പി വി പാനൽ മുതലായവ) നൽകുന്നതിന് താൽപ്പര്യമുള്ള കരാറുകാരിൽ നിന്നും മുദ്രവച്ച കവറുകളിൽ മത്സര സ്വഭാവമുള്ള ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക—` 3,80,000.

നിരതദ്രവ്യം—അടങ്കൽ തുകയുടെ 1 %.

ദർഘാസ് ഫോറത്തിന്റെ വില :

അസ്സൽ—` 840.

പകർപ്പ്—` 420.

ദർഘാസ് ഫോറം വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—3-3-2014, 2 മണി.

പൂരിപ്പിച്ച ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—4-3-2014, 1 മണി.

ദർഘാസുകൾ തുറന്നു പരിശോധിക്കുന്ന തീയതിയും സമയവും—4-3-2014, 2 മണി.

വിശദ വിവരങ്ങൾ പ്രവൃത്തി സമയത്ത് ഓഫീസിൽ നിന്നും അറിയാവുന്നതാണ്.

No. D3/4020/2013/RIT.

31st January 2014.

Sealed tenders are invited for the supply of items (Solar Power Meter, Solar Analyser, Solar P V Panels, etc.) for Solar Photovoltaic Parameter evaluation and grid interconnection for Electrical and Electronics Engineering Department of this institution at a total cost of ` 3,80,000.

Cost of tender forms (including taxes):

Original—` 840.

Duplicate—` 420.

Last date and time of sale of tender form—3-3-2014, 2 p. m.

Last date and time of receipt of tender—4-3-2014, 1 p. m.

Date and time of opening of tender—4-3-2014, 2 p. m.

Those who want tender forms by registered post should send ` 35 extra for each tender besides the cost of tender forms by Money Order to the undersigned

which should be received on or before 21-2-2014.

Tender forms can be had from the office of the Principal, Rajiv Gandhi Institute of Technology, Velloor P. O., Pampady, Kottayam-686 501 on a cash remittance as above or by Money Order on all working days between 10 a.m. to 3 p. m. The tender should be superscribed with Tender No. and Date. Cheques, Postage Stamps, Drafts, Postal Orders etc. will not be accepted towards the cost of the tender forms. The tender forms are not transferable.

As per the tender condition the tenderer should send along with this tender with an agreement executed duly signed in Kerala Stamp Paper of value of ` 100 and EMD 1% of total cost of the articles tendered by way of DD in favour of the Principal, Rajiv Gandhi Institute of Technology, Kottayam. Tender without agreement and EMD will be rejected and detailed specification will be issued along with the tender forms.

(3)

നമ്പർ ഡി3/4020/13.

2014 ജനുവരി 31.

കോട്ടയം രാജീവ്ഗാന്ധി ഇൻസ്റ്റിറ്റ്യൂട്ട് ഓഫ് ടെക്നോളജിയിലെ ഇലക്ട്രിക്കൽ ആന്റ് ഇലക്ട്രോണിക്സ് എഞ്ചിനീയറിംഗ് ഡിപ്പാർട്ട്മെന്റിലേക്ക് സോളാർ ഫോട്ടോവോൾട്ടായിക് പാരാമീറ്റർ ഇവാല്യൂവേഷൻ ആന്റ് ഗ്രിഡ് ഇന്റർകണക്ഷൻ ആവശ്യമായ സാധനങ്ങൾ (സോളാർ പി വി മൊഡ്യൂൾ, സോളാർ പവർ കണ്ടീഷണിങ് യൂണിറ്റ്, സോളാർ ലോ മെയിന്റനൻസ് ട്യൂബുലർ ബാറ്ററി മുതലായവ) നൽകുന്നതിന് താല്പര്യമുള്ള കരാറുകാരിൽ നിന്നും മുദ്രവച്ച കവറുകളിൽ മത്സര സ്വഭാവമുള്ള ദർഘാസുകൾ ക്ഷണിച്ചു കൊള്ളുന്നു.

അടങ്കൽ തുക—` 1,00,000.

ദർഘാസ് ഫോറത്തിന്റെ വില:

അസ്സൽ—` 420.

പകർപ്പ്—` 210.

ദർഘാസ് ഫോറം വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—3-3-2014, 2 മണി.

പുരിപ്പിച്ച ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—4-3-2014, 1 മണി.

ദർഘാസുകൾ തുറന്നു പരിശോധിക്കുന്ന തീയതിയും സമയവും—4-3-2014, 2 മണി.

ദർഘാസ് ഫോറം തപാൽ മുഖേന ആവശ്യമുള്ളവർ ` 35 അധികമായി ഓരോ ദർഘാസ് ഫോറത്തിന്റെയും വിലയോടൊപ്പം മണിയോർഡറായി അയയ്ക്കേണ്ടതാണ്. മണിയോർഡർ സ്വീകരിക്കുന്ന അവസാന തീയതി 21-2-2014 ആയിരിക്കും. മുകളിൽ പറഞ്ഞിരിക്കുന്ന ടെണ്ടർ ഫോമിന്റെ വില എല്ലാ നികുതിയും ഉൾപ്പെടെയാണ്.

ദർഘാസ് ഫോറങ്ങൾ പ്രിൻസിപ്പാൾ, രാജീവ്ഗാന്ധി ഇൻസ്റ്റിറ്റ്യൂട്ട് ഓഫ് ടെക്നോളജി, വെള്ളൂർ പി.ഒ., പാമ്പാടി, കോട്ടയം-686 501 എന്ന വിലാസത്തിൽ നേരിട്ടോ മണിയോർഡർ മുഖേനയോ എല്ലാ പ്രവൃത്തി ദിവസങ്ങളിലും രാവിലെ 10 മണി മുതൽ വൈകുന്നേരം 3 മണി വരെ ലഭിക്കുന്നതാണ്.

ദർഘാസ് സമർപ്പിക്കുന്ന കവറിനുമുകളിൽ ദർഘാസ്

നമ്പരും തീയതിയും രേഖപ്പെടുത്തേണ്ടതാണ്. ദർഘാസ് ഫോറങ്ങൾ യാതൊരു കാരണവശാലും കൈമാറ്റം ചെയ്യുവാൻ പാടുള്ളതല്ല. ചെക്ക്, ഡ്രാഫ്റ്റ്, പോസ്റ്റൽ ഓർഡർ, തപാൽ സ്റ്റാമ്പ് മുതലായവ സ്വീകരിക്കുന്നതല്ല.

ദർഘാസ് നിയമം അനുസരിച്ച് ദർഘാസ് സമർപ്പിക്കുന്ന ആൾ ദർഘാസിനോടൊപ്പം ` 100 വിലയുള്ള കേരള മുദ്രപത്രത്തിൽ സമ്മതപത്രവും മൊത്തം തുകയുടെ ഒരു ശതമാനം നിരതദ്രവ്യവും സമർപ്പിക്കേണ്ടതാണ്. ഇവ ഇല്ലാത്ത ദർഘാസുകൾ നിരൂപാധികം നിരസിക്കപ്പെടുന്നതാണ്. ഉപകരണങ്ങളുടെ വിശദവിവരങ്ങൾ ദർഘാസ് ഫോറത്തിനൊപ്പം ലഭിക്കുന്നതാണ്.

No. D3/4020/2013/RIT.

31st January 2014.

Sealed tenders are invited for the supply of items (Solar P V Module with RFID tag, Solar Power Conditioning Unit, Solar Low Maintenance Tubular Battery with 5 year warranty, etc.) for Solar Photovoltaic Parameter evaluation and grid interconnection for Electrical and Electronics Engineering Department of this institution at a total cost of ` 1,00,000.

Cost of tender forms (including taxes):

Original—` 420.

Duplicate—` 210.

Last date and time of sale of tender form—3-3-2014, 2 p. m.

Last date and time of receipt of tender —4-3-2014, 1 p. m.

Date and time of Opening of tender —4-3-2014, 2 p. m.

Those who want tender forms by registered post should send ` 35 extra for each tender besides the cost of tender forms by Money Order to the undersigned which should be received on or before 21-2-2014.

Tender forms can be had from the office of the Principal, Rajiv Gandhi Institute of Technology, Velloor P. O., Pampady, Kottayam-686 501 on a cash remittance as above or by Money Order on all working days between 10 a.m. to 3 p. m. The tender should be superscribed as Tender No. and Date. Cheque, Postage Stamps, Drafts, Postal Order etc. will not be accepted towards the cost of the tender forms. The tender forms are not transferable.

As per the tender condition the tenderer should send along with this tender with an agreement executed duly signed in Kerala Stamp Paper of value of ` 100 and EMD 1% of total cost of the articles tendered by way of DD in favour of the Principal, Rajiv Gandhi Institute of Technology, Kottayam. Tender without agreement and EMD will be rejected and detailed specification will be issued along with the tender forms.

Office of the Principal,
Rajiv Gandhi Institute of
Technology, Kottayam.

(Sd.)
Principal.

ലഘു ദർശന പരസ്യം

നമ്പർ ഡി-3286/2013.

2014 ജനുവരി 30.

SHORT TENDER NOTICE

No.D1/5338/2013.

12th February 2014.

Sealed tenders are invited for the supply of Equipments/Consumables for Govt. Engineering College, Thrissur.

Sl. No.	Tender Numbers and Name of Items with Approximate Cost	Name of Department
1	D1/92/2013-14—Equipment— ` 16,00,000	Electrical
2	D1/93/2013-14—Equipment— ` 6,35,000	Electrical
3	D1/94/2013-14—Equipment— ` 17,65,000	Mechanical
4	D2/101/2013-14—Equipment— ` 18,00,000	Civil Engg.

Cost of tender form + Postal Charges—` 2,520 for Sl. No. 1, ` 1,334 for Sl. No. 2, ` 2,780 for Sl. No. 3, ` 2,835 for Sl. No. 4.

Last date and time of issue of Tender form—6-3-2014, 12 Noon.

Last date and time of receipt of Tender form—6-3-2014, 12 Noon.

Date and time of opening of Tender—7-3-2014, 11 a. m.

website. www. gectcr.ac.in

Intending tenderers may obtain the requisite tender form from Principal, Govt. Engineering College, Thrissur on cash remittance of cost of Tender form + postal charge. Tender forms are not transferable. Late tenders will not be accepted. Application for the tender form should be accompanied by cash remittance, as per the price fixed for the tender form.

Cheques, Postages Stamps etc. will not be accepted towards the cost of the forms nor the forms will be sent by VPP.

Tenders should be accompanied by EMD of 1% of the amount by DD drawn in favour of the Principal, Govt. Engineering College, Thrissur with an agreement in Kerala Stamp Paper worth ` 100. Details can be had from the Govt. Engineering College Office working hours.

Government Engineering College,
Thrissur.

(Sd.)
Principal.

കാസറഗോഡ് സർക്കാർ പോളിടെക്നിക്ക് കോളേജിലെ കായിക പരിശീലന വിഭാഗത്തിലേക്ക് ആവശ്യമായ ഉപകരണങ്ങൾ വിതരണം ചെയ്യുന്നതിന് മത്സരാധിഷ്ഠിത ടെണ്ടറുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

മുദ്രവെച്ച ടെണ്ടറുകൾ ഈ ഓഫീസിൽ ലഭിക്കേണ്ട അവസാന തീയതി 5-3-2014-ന് രാവിലെ 11 മണിയാണ്. അന്നു തന്നെ ഉച്ചയ്ക്ക് ശേഷം മൂന്നു മണിക്ക് ടെണ്ടറുകൾ തുറക്കുന്ന തായിരിക്കും. ടെണ്ടർ അടക്കം ചെയ്ത മുദ്രവെച്ച കവറിനു മുകളിൽ “ടെണ്ടർ നമ്പർ 02/2013” എന്ന് എഴുതിയിരിക്കണം. വൈകിക്കിട്ടുന്ന ടെണ്ടറുകൾ യാതൊരു കാരണവശാലും സ്വീകരിക്കുന്നതല്ല.

ടെണ്ടർ ഫോറം തപാൽമാർഗ്ഗം ആവശ്യമുള്ളവർ പ്രിൻസിപ്പാൾ, ഗവൺമെന്റ് പോളിടെക്നിക്ക് കോളേജ്, കാസറഗോഡ് പി. ഒ., പെരിയ, പിൻ-671 316 എന്ന വിലാസത്തിൽ ` 425 (നാനൂറ്റി ഇരുപത്തഞ്ചു രൂപ മാത്രം) മണിയോർഡർ അയച്ച് ` 32 സ്റ്റാമ്പൊട്ടിച്ച സ്വന്തം മേൽവിലാസ മെഴുതിയ കവർ സഹിതം അപേക്ഷിച്ചാൽ ലഭിക്കുന്നതായിരിക്കും. ഡ്യൂപ്ലിക്കേറ്റ് ടെണ്ടർ ഫോറം ആവശ്യമുള്ളവർ ഒരു കോപ്പിക്ക് ` 315 കൂടുതൽ അയയ്ക്കേണ്ടതാണ്. 4-3-2014-ന് വൈകിട്ട് 3 മണിക്ക് ടെണ്ടർ ഫോറം വില്പന അവസാനിപ്പിക്കുന്നതാണ്. ടെണ്ടർ ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യപ്പെടാവുന്നതല്ല. ടെണ്ടർ ഫോറങ്ങൾക്ക് അടച്ച തുക യാതൊരു കാരണവശാലും മടക്കിക്കൊടുക്കുന്നതല്ല. പോസ്റ്റൽ ഓർഡറുകൾ, ചെക്കുകൾ മുതലായവ സ്വീകരിക്കുന്നതല്ല.

ഈ പരസ്യം മാധ്യമങ്ങളിൽ പരസ്യപ്പെടുത്തുന്ന തീയതി മുതൽ ടെണ്ടർ ഫോറം വില്പന ആരംഭിക്കുന്നതാണ്.

No. D-3286/2013.

30th January 2014.

Sealed Competitive tenders are invited for the supply of Equipments to Physical Education Section to Government Polytechnic College, Kasaragod.

The tenders should be superscribed "Tender No. 02/2013 for the supply of equipments to Physical Education Section, and addressed to the Principal, Govt. Polytechnic College Kasaragod, P. O. Periy, 671 316. The last date for receipt of tender is on 5-3-2014 at 11 a.m. The tenders will be opened at 3 p.m. on 5-3-2014 in the presence of such Tenderers or their authorized representatives who may present at that time.

Intending tenderers may on application to the Principal Govt., Polytechnic College, Kasaragod P. O. Periy, 671 316, may obtain the requisite Tender forms on which tenders

should be submitted. Application for the tender form should be accompanied by a cash remittance of ₹ 425 (Rupees Four Hundred and Twenty five only) which is the price fixed for the tender form the tender forms are not transferable. The sale of the tender forms will be closed at 3 p.m. on 4-3-2014. Cheques, postal orders etc. will not be accepted towards the cost of tender forms, nor the forms sent by VPP. Duplicate tender forms if required will be issued at a cost of ₹ 315 (Rupees Three Hundred and Fifteen only, per copy.

Those who require the tender forms by post have to send a self addressed stamped for ₹ 36 envelope of size 30×12 cm. after remitting the cost of tender form by Money Order.

LIST OF EQUIPMENTS

<i>Sl. No.</i>	<i>Category</i>	<i>Product Description</i>	<i>Quantity</i>
1	Elliptical	Commercial type Elliptical with Front mount Rear rollers running on Enclosed Aluminium rack system to prevent slipping of rollers- Fly wheel diameter of 28cm. Butterfly type dual handles for easy and comet usage— comes with 12 Manual programs with 4 HRC, 4 User. Stride length is 21" with User weight minimum 160 kg and product weight 104 Kg.	1
2	Cable Crossover Adjustable Model	Biochemically designed for intensive commercial use. Heavy 12 & 14 guage 2" × 2" rigid cold rolled iron pipes used. Electro statically applied epoxy powder coated finish. Durable polyster tear resistant upholstery. Fibre glass reinforced imported Pulleys with precision sealed ball bearing for prolonged cable life. Cast iron machined weight stack highly durable used. Imported 5mm cable with 2000 lbs tensile strength used. Powder coating colour can be done as per customers bulk requirement (ISO Certified	1
